



MAIL STOP AMENDMENT  
Atty. Docket No.: 25537Y

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

KOPELMAN et al.

Serial No. 10/797,126

Group Art Unit: 3732

Filed: March 11, 2004

Examiner: John J. Wilson

Title: **METHOD AND SYSTEM FOR ASSISTING IN APPLYING AN  
ORTHODONTIC TREATMENT**

TRANSMITTAL LETTER

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

Submitted herewith for filing in the U.S. Patent and Trademark Office is the following:

- (1) Transmittal Letter;
- (2) Response and Amendment;
- (3) Petition for Extension of Time; and
- (4) Check No. 22456 in the amount of \$60.00.

The Commissioner is hereby specifically authorized to charge any required fee, or credit any overpayment, in connection with this matter to deposit Account No. 14-0112.

Respectfully submitted,

**NATH & ASSOCIATES PLLC**

Date: January 21, 2005

By:

Gary M. Nath  
Registration No. 26,965  
Lee C. Heiman  
Registration No. 41,827  
Customer No. 20529

**NATH & ASSOCIATES PLLC**  
1030 15<sup>th</sup> Street, NW - 6<sup>th</sup> Floor  
Washington, D.C. 20005  
Tel: (202)-775-8383  
Fax: (202)-775-8396



MAIL STOP AMENDMENT  
Atty. Docket No.: 25537Y

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

KOPELMAN et al.

Serial No. 10/797,126

Group Art Unit: 3732

Filed: March 11, 2004

Examiner: John J. Wilson

Title: **METHOD AND SYSTEM FOR ASSISTING IN APPLYING AN  
ORTHODONTIC TREATMENT**

**RESPONSE AND AMENDMENT**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

This is in response to the Office Action dated September 20, 2004. The three month shortened statutory period for response was set to expire on December 20, 2004. A one month Petition for Extension of Time and fee are attached hereto, extending the period for reply to January 20, 2005. In view of the following remarks and amendments, Applicants respectfully request the Examiner to reconsider and withdraw the outstanding rejections, and allow all claims pending in this application.

Please amend the captioned application as follows: